Cognitive Development in malnourished and stunted children

Setyo Handryastuti, **Hardiono D. Pusponegoro**, Ivan Riyanto Widjaja, Achmad Rafli
Department of Child Health, Faculty of Medicine, University of Indonesia
Cipto Mangunkusumo Hospital, Jakarta

Background

In Indonesia, prevalence of stunting is 30.8% while malnutrition is 17.7%. Stunting and malnutrition might be related to impaired cognitive development.

Aims

To determine cognitive development in stunted children, malnourished children without stunting and constitutional short stature.

Methods

Cross sectional study was done in Cipto Mangunkusumo Hospital Pediatric Clinic to children aged 6 month-3 years old. Anthropometry was calculated based on WHO growth chart. Cognitive development was assessed with Bayley Scales of Infant Development Third Editions (BAYLEY-III).

Results

Fifty-eight children aged less than 3 years were enrolled in this study (26 children with stunting, 25 children with malnutrition without stunting, and 7 children with constitutional short stature). Age of subjects were 11(2.0-34.0), 13.0(2.0-38.0), and 26.0(16.0-33.0) respectively. Bayley-III percentile in cognitive scale were 12.5(0.1-75), 16(0.1-99.9), 37.0(0.1-99) (p=0.274)

Discussion

Stunting children showed worst cognitive function compared to malnourished children and constitutional short stature, while malnourished children were worse compared to constitutional short children, although it was not significant.

Difference in age and small number of subjects in constitutional short stature was related to difficulty in diagnosing constitutional short stature in children aged <3 years.

Subject characteritic

	Stunting (n=26)	Malnutriti on without stunting (n=25)	Constitutio nal short stature (n=7)	p
Sex (n)				-
Male	16	14	4	
Female	10	11	3	
Age (month)	11 (2-34)	16±9.63	26±5.16	0.02

BAYLEY-III percentile

	Stunting (n=26)	Malnutriti on without stunting (n=25)	Constitutio nal short stature (n=7)	p
Percentile				
Cognitive	12.5 (0.1 – 75)	16 (0.1-99.9)	44.7±36.82	0.274
Language	20.5 (0.1 – 95)	18 (0.2 – 94)	37.1±33.37	0.892
Motor	1 (0.1 – 75)	4 (0 – 79)	16 (0.1 – 75)	0.109
Social- emotional	25 (0.4 – 99)	16 (1 – 99.9)	16 (1 – 98)	0.779
Adaptive behavior	7 (0.1-75)	12 (0.1-58)	11.6±12.63	0.780

Cognitive percentile

Language percentile

Motor percentile