

Pharmacological activation of the Nrf2 pathway


attenuates UVB & LPS-induced damage

S. Kahremany, R. Gvirtz, N. Ogen-Shtern, G. Cohen, A. Gruzman

Introduction: In order to protect the human body against environmental stress, such as UVB, a multifunctional enzymatic and antioxidant defense system is expressed in the skin. A key regulator of this pathway is the transcription factor Nrf2. We have speculated that targeted activation of this pathway may provide therapeutic options against oxidative stress-related disorders.

Synthesis of pharmacological Nrf2 activator (SK-119)


A novel pharmacological Nrf2 activator (E)-5-oxo-1-(4-((2,4,6trihydroxybenzylidene)amino)phenyl)pyrrolidine-3-carboxylic acid (SK-119) was synthesized after in silico design



Sk-119 attenuates UVB-induced damage


SK-119 Attenuates ROS generation Time 150

that



3






Topical application of Sk-119 activates Nrf2 in ex vivo human skin


results suggest pharmacological activation of Nrf2 may be used as a therapeutic enhancing option by endogenous protection of the skin.


Conclusions




Sk-119 attenuates LPSinduced inflammation











Dr. Guy Cohen Dead Sea & Arava Science Center, Masada, Israel https://www.adssc.org/en/quy-cohen-ph-d-biology/

Guy@adssc.org

+972-8-944-8739

- **Open Postdoctoral Position**
- Always seeking new collaborations