Raising the curtain DEPRESSION IN AUTISM

Ana Margarida Franco¹; Inês Fonseca¹; Nuno Ribeiro¹; Pedro Azevedo Afonso¹; Maria Margarida Magalhães¹; Liliana Moreno¹; Sara Penedos¹; Maria João Freire¹; João Nogueira¹; Joana Vieira¹; Vanessa Vila Nova³; António Gamito¹
¹Psychiatry Resident; ²Attending Psychiatrist; Department of Psychiatry and Mental Health – Setúbal Hospital Centre

AUTISM SPECTRUM DISORDER (ASD) IS CHARACTERIZED BY PERSISTENT DIFFICULTIES IN SOCIAL RELATIONS, COMMUNICATION AND RESTRICTED/REPETITIVE PATTERNS OF BEHAVIOR AND INTERESTS.

WHY WE NEED TO TALK ABOUT DEPRESSION IN ASD?

- ✓ ASD has often co-occurring medical and psychiatric conditions.
- ✓ Several studies report lifetime depression rates ranging from 50% to 77% in adults, making **DEPRESSION ONE OF THE MOST FREQUENT PSYCHIATRIC COMORBIDITIES** for these population¹.
- ✓ Depression in the adult and during transition to adulthood may unmask an ASD undiagnosed during childhood².
- ✓ Depression may **exacerbate the core features of ASD and increase suicide risk**^{3,4}.
- ✓ Depression is a potentially treatable condition².

THEN, WHY IS IT A CHALLENGE?

Atypical presentation.
Alexithymia.
ASD and depression have overlapping features⁶.

WHO IS AT MAJOR RISK?

- ✓ Family history of depression⁵.
- ✓ High functioning ASD (higher cognitive ability, less social impairment, greater expectation of fitting in with their peers and/or easier overlooking depressive symptoms in low functioning ASD)^{6,7}.
- ✓ Adolescence and early adulthood.
- ✓ Stressful events.

CLINICAL CLUES?

Vegetative signs of depression are better markers than depressive mood⁸.

Better able to communicate their depressive symptoms⁸.

DEPRESSIVE SYMPTOMS DIFFER ACCORDINGLY TO AGE, INTELLIGENCE AND COMMUNICATION CAPACITIES.

HOW ABOUT TREATMENT?

TREATMENT OF INDIVIDUALS WITH ASD AND COMORBID DEPRESSION SHOULD BE MADE CASE-BY-CASE, WITH EVALUATION OF POSSIBLE BENEFITS AND RISKS.

MORE SPECIFIC DEPRESSIVE SYMPTOMS IN ASD⁶:

- ✓ Increased irritability, restlessness
- ✓ Changes in specific interests (decreased pleasure; increased intensity; change to darker/morbid content)
- ✓ Increased repetitive behaviors
- ✓ Change on the usual character of obsessions
- ✓ Increased anxiety or insistence on sameness
- ✓ Increase in aggression or self-injury
- ✓ Regressive behavior
- ✓ Decline in self-care
- ✓ Social withdrawal (increased)

- ✓ There are **no studies determining the efficacy of selective serotonin reuptake inhibitors (SSRIs)** in treating depression in individuals with ASD.
- ✓ A Cochrane review of use of SSRIs recommended a case-by-case basis⁹.
- ✓ Individuals with ASD are particularly prone to adverse effects with SSRIs – irritability, agitation, akathisia and sleep disturbances⁷.
- ✓ For younger individuals with ASD, the **FDA has approved Risperidone and Aripiprazole to treat irritability** (in probable association with depression).
- ✓ Regarding psychotherapy, there is some evidence that behavioral therapy may reduce symptoms of depression in ASD by modifying coping strategies, cognitive inflexibility and restructure negative thoughts.

THERE IS A NEED TO FURTHER RESEARCH OF EFFECTIVE PSYCHOPHARMACOLOGIC AND PSYCHOSOCIAL TREATMENT STRATEGIES.

1. Lugnegard T, et al. Psychiatric comorbidity in young adults with a clinical diagnosis of Asperger syndrome. Res Dev Disabil 2011;32(5): 1910-7.
2. Ray D. et al. Association Between Autism Spectrum Disorders With or Without Intellectual Disability and Depression in Young Adulthood. JAMA Network Open. 2018;1(4):e181465
3. Sterling L, et al. Characteristics associated with presence of depressive symptoms in adults with autism spectrum disorder. J Autism Dev Disord. 2008;38(6):1011-1018
4. Culpin I, et al. Autistic traits and suicidal thoughts, plans, and self-harm in late adolescence: population-based cohort study. J Am Acad Child Adolesc Psychiatry. 2018;57(5):313-320.e6
5. Gadow KD, et al. Predictors of psychiatric symptoms in children with an autism spectrum disorder. J Autism Dev Disord. 2008;38:1710-1720.
6. Pezzimenti F. et al, Depression in Youth with Autism Spectrum Disorder. Child Adolesc Psychiatric Clin N Am 28 (2019) 397-409
7. Chandrasekhar, T et al. Challenges in the diagnosis and treatment of depression in autism spectrum disorders across the lifespan. Dialogues Clin Neurosci. 2015;17:219-227.
8. Ghaziuddin, M et al. Depression in Persons with Autism: Implications for Research and Clinical Care. Journal of Autism and Developmental Disorders, Vol. 32, No. 4, August 2002.
9. Williams K, et al. Selective serotonin reuptake inhibitors (SSRIs) for autism spectrum disorders (ASD). Cochrane Database Syst Rev. 2013;8:CD004677.